Samples of intellectual property and copyrighted material developed by the Saint Paul VI Institute for the Study of Reproduction.

- 1. User Manual
- 2. The Picture Dictionary
- 3. Book 1

www.popepaulvi.com www.creightonmodel.com



For the Study of Human Reproduction

Downloaded from http://popepaulvi.com/PDF/CrMS_App_Copyright.pdf UPDATED 20190730

CREIGHTON MODEL FertilityCare[™] System

AN AUTHENTIC LANGUAGE OF A WOMAN'S HEALTH AND FERTILITY[™]



Fertility*Care*[™] & **NaPro**TECHNOLOGY[®]

A Contemporary Approach to Women's Health Care


Use this chart to record (**NaProTRACK**[™]) the biomarkers of the naturally occurring phases of your fertility and infertility. These same biomarkers will also allow you to monitor and maintain your reproductive and gynecologic health. The CREIGHTON MODEL System is scientifically sound, accurate, precise, and effective. It can be used to achieve and avoid pregnancy or in the further evaluation of infertility, repetitive miscarriage, abnormal bleeding, recurrent ovarian cysts, pelvic pain, premenstrual syndrome, etc. It does all of this in a way which cooperates with your fertility, respects the dignity of women and the integrity of marriage. As a bonus, it helps married couples discover the "inner soul" of their human sexuality. For more information, log onto: www.popepaulvi.com.

EACHER PHONE				CHART #TCCC						
Make sure to come for your follow-up visits and refer any interested individuals for adequate instruction. ALWAYS BRING YOUR CHART TO FOLLOW-UP Date of your next 1 2 3 4 5 6 7 8 Appointment 1 2 3 4 5 6 7 8 Appointment 1 2 3 4 5 6 7 8 Appointment 1 2 3 4 5 6 7 8 Appointment 1 2 3 4 5 6 7 8 Appointment 1 2 3 4 5 6 7 8 Pack TYPE MUCUS = Any mucus discharge that is not clear, stretchy, or lubricative Pack TYPE MUCUS = Any mucus discharge that is not clear, stretchy, or lubricative 8 - Brown (or black) blending C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.	EACHERPHC	ONE								
Jate of your flext DEFINITIONS PEAK-TYPE MUCUS = Any mucus discharge that is clear, stretchy, or lubricative NON-PEAK-TYPE MUCUS = Any mucus discharge that is not clear, stretchy, or lubricative NON-PEAK-TYPE MUCUS = Any mucus discharge that is not clear, stretchy, or lubricative PEAK DAY = The last day of any mucus discharge that is not clear, stretchy, or lubricative Vacinal DISCHARGE RECORDING SYSTEM H = Heavy flow 0 = Dry X = Welt without lubrication 0 = Craw (whith without lubrication) Y = Welt without lubrication 0 = Dry B = Brown (or black) bleeding 0 = Dry Aways record the presence or absence 0 = Dry C = Caurny (gluw) 0 = Stretchy (1 inch + 12.5 cm or more) 100L = Sing with lubrication 0 = Breed 100L = Sing with lubrication 0 = Breed Y = Velow (even pale yellow) 100L = Sing with lubrication 100L = Sing with lubrication 0 = Breed Y = Seen only once that day X 2 = Seen three times that day AD = Seen all day Your instructions for using the System will be given to you by your teacher from the list of instructions below. A. Aways keep to the observational routine B. Chart at the end of your day, every day, and record line most frelie sign of the day alternated day								iers.		
PEAK-TYPE MUCUS = Any mucus discharge that is olear, stretchy, or lubricative NON-PEAK-TYPE MUCUS = Any mucus discharge that is olear, stretchy, or lubricative PEAK DAY = The last day of any mucus discharge that is olear, stretchy, or lubricative PEAK DAY = The last day of any mucus discharge that is olear, stretchy, or lubricative PEAK DAY = The last day of any mucus discharge that is olear, stretchy, or lubricative H = Heavy flow M = Moderate flow L = Light flow V = Very light flow (or black) bleeding Always record the presence or absence of mucus during the light and very light flow. May stee for the presence or absence of mucus during the day that yous see the most furtile sign of the day and record it in the following fashion: X1 = Seen only once that day X2 = Seen twice that day NOL Days of the day, every day, and excord the mest rul flow C. Avoid genital contact INSTRUCTIONS D. Days of tertility (use to achieve pregnancy) 1. The menstrual flow S. Any single day of Peak mucus – plus count3 S. Any single day of Peak mucus – plus count3 S. Any single day of Peak mucus – plus count3 Novid penital contact D. Days of tertility (use to achieve pregnancy) 1. The menstrual flow S. Any single day of Peak mucus – plus count3 S. Any single day of Peak (after 4th day)	Date of your next	5	6	7	ALWATS BIING TOOL CHAIT					
H = Heavy flow 0 = Dry M = Moderate flow 2 = Damp without lubrication L = Light flow 2 W = Wet without lubrication W = Very light flow (spotting) 6 = Sticky (x + without lubrication B = Brown (or black) bleeding 6 = Sticky (x + without lubrication Aways record the presence or absence of mucus during the light and very light dave (y light) 10 = Dry In addition, record how often during the day that you see the most fertile sign of the day and record it in the following fashion: X = Seen only once that day X = Seen only once that day X 2 = Seen twice that day X 3 = Seen three times that day AD = Seen all day INSTRUCTIONS Not instructions for using the System will be given to you by your teacher from the list of instructions below. A. Always keep to the observational routine 1. Avoid genital contact 1. Avoid genital contact D. Days of fortility (use to achieve pregnancy) 1. The menstrual flow 1. Avoid genital contact until good mucus is present (subfertility patients only) 2. Forst beginning of mucus until 5 full days past Peak 3. Any single day of Peak mucus pre-Peak 3. Any single day of Peak mucus pre-Peak 3. Any single day of peak mucus — plus count 3 5. Any single day of Peak mucus — plus count 3 3. Post-Peak (after 4th day) — end of the day, alternate days </th <th>PEAK-TYPE MUCUS = Any mucus discharge tha NON-PEAK-TYPE MUCUS = Any mucus dischar</th> <th>at is clea ge that</th> <th>ar, stretc is not cle</th> <th>hy, or lu ear, stret</th> <th>chy, or lubricati</th> <th></th> <th></th> <th></th>	PEAK-TYPE MUCUS = Any mucus discharge tha NON-PEAK-TYPE MUCUS = Any mucus dischar	at is clea ge that	ar, stretc is not cle	hy, or lu ear, stret	chy, or lubricati					
 M = Moderate flow L = Light flow W = Ver without lubrication VL = Very light flow (spotting) B = Brown (or black) bleeding Always record the presence or absence of mucus during the light and very light days of the menstrual flow. In addition, record how often during the day that you see the most fertile sign of the day and record it in the following fashion: X1 = Seen only once that day X2 = Seen twice that day X3 = Seen three times that day AD = Seen all day INSTRUCTIONS Nove instructions for using the System will be given to you by your teacher from the list of instructions below. A Always keep to the observational routine B. Chart at the end of your day, every day, and record the most fertile sign of the day C. Avoid genital contact D. Days of intertility (use to achieve pregnancy) 1. The menstrual flow 2. Form beginning of mucus until 3 full days past Peak 3. for y days por-Peak — end of the day, alternate days 2. Dry days por-Peak — end of the day, alternate days 2. Dry days pors-Peak (after 4th day) — end of the day, alternate days 3. Dry days pors-Peak (after 4th day) — end of the day, alternate days 4. Dry days pors-Peak (after 4th day) — end of the day, alternate days 5. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4th day) — end of the day, alternate days 6. Dry days pors-Peak (after 4	VAGINAL DIS	SCHAR	GE REC	ORDIN	IG SYSTEM					
 X1 = Seen only once that day X2 = Seen twice that day X3 = Seen three times that day AD = Seen all day INSTRUCTIONS Your instructions for using the System will be given to you by your teacher from the list of instructions below. A. Always keep to the observational routine B. Chart at the end of your day, every day, and record the most fertile sign of the day C. Avoid genital contact D. Days of fertility (use to achieve pregnancy) The menstrual flow From beginning of mucus until 3 full days past Peak 3 or more days of non-Peak mucus pre-Peak Any unusual bleeding — plus count 3 Any unusual bleeding — plus count 3 Days of infertility (use to avoid pregnancy) Dry days por-Peak — end of the day, alternate days Dry days port-Peak (after 4th day) — end of the day, alternate days Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day every day Dry days post-Peak (after 4th day) — end of the day every day Dry days post-Peak (after 4th day) — end of the day every day Dry days post-Peak (after 4th day) — end of the day every day Dry days post-Peak (after 4th day) — end of	M = Moderate flow2 = DL = Light flow2 W = WVL = Very light flow (spotting)4 = SB = Brown (or black) bleeding6 = SAlways record the presence or absence10 = Sof mucus during the light and very light10DL = DlosL = S10WL = W	Vet with thiny wit ticky (1/4 acky (1/2 tretchy (amp wit thiny wit Vet with	out lubric hout lubr inch 0. - ¾ inch 1 inch + h lubrica h lubricatic	ation ication 5 cm) 1 1.0 – 2 2.5 cm o tion tion	2.0 cm) br more) F	C = Cloudy (wł C = Cloudy/cle E = Gummy (g C = Clear = Lubricative P = Pasty (creative R = Red C = Yellow (eventszta)	nite) ar luey) amy) en pale yello	ow)		
 Your instructions for using the System will be given to you by your teacher from the list of instructions below. A. Always keep to the observational routine B. Chart at the end of your day, every day, and record the most fertile sign of the day C. Avoid genital contact Days of fertility (use to achieve pregnancy) The menstrual flow tor 2 days of non-Peak mucus pre-Peak a tor 2 days of non-Peak mucus pre-Peak b chay nusual bleeding p plus count 3 c. Any single day of Peak mucus pub scount 3 d. Any single day of Peak mucus pub scount 3 d. May post-Peak (after 4th day) — end of the day, alternate days d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days post-Peak (after 4th day) — end of the day, every day d. Dry days po	In addition, record how often during the day that yo X1 = Seen only once that day X2 = Seen t	wice the	at day X	ertile sig (3 = See	n of the day an n three times th	d record it in f nat day AD =	he following - Seen all d	g fashion: ay		
 B. Chart at the end of your day, every day, and record the most fertile sign of the day C. Avoid genital contact D Days of fertility (use to achieve pregnancy) The menstrual flow From beginning of mucus until 3 full days past Peak a or more days of non-Peak mucus pre-Peak 3 or more days of non-Peak mucus pre-Peak a or more days of non-Peak mucus pre-Peak b. Any single day of Peak mucus — plus count 3 c. Any unusual bleeding — plus count 3 d. Any days pre-Peak — end of the day, alternate days Dry days pre-Peak — end of the day, euery day at th day post-Peak (after 4th day) — end of the day, alternate days Dry days post-Peak (after 4th day) — end of the day, alternate days Dry days post-Peak (after 4th day) — end of the day, euery day b. Dry days post-Peak (after 4th day) — end of the day, euery day c. Dry days post-Peak (after 4th day) — end of the day. euery day d. Dry days post-Peak (after 4th day) — any time of day c. Dry days post-Peak (after 4th day) — any time of day d. Dry days post-Peak (after 4th day) — any time of day d. Dry days post-Peak (after 4th day) — any time of day d. Dry days post-Peak (after 4th day) — any time of day d. Dry days post-Peak (after 4th day) — any time of day f. Dry days post-Peak (after 4th day) — any time of day f. Dry days post-Peak (after 4th day) — any time of day f. Dry days post-Peak (after 4th day) — any time of day f. Dry days post-Peak (after 4th day) — any time of day f. Dry days post-Peak (after 4th day) — any time of day f. Seminal fluid instruction (see manual) 					teacher from t	he list of inst	ructions be	low.		
 On P+3, ask "double" Peak questions If post-Peak phase is greater than 16 days in duration and system used properly to avoid pregnancy, anticipate "missed" period form of "double" Peak When anticipating "double" Peak, keep to the end 	 B. Chart at the end of your day, every day, and record the most fertile sign of the day C. Avoid genital contact Days of fertility (use to achieve pregnancy) The menstrual flow From beginning of mucus until 3 full days past Pe 1 or 2 days of non-Peak mucus pre-Peak 3 or more days of non-Peak mucus pre-Peak 3 or more days of non-Peak mucus pre-Peak 3 or more days of non-Peak mucus pre-Peak Any single day of Peak mucus — plus count 3 Any unusual bleeding — plus count 3 E. Days of infertility (use to avoid pregnancy) Dry days pre-Peak — end of the day, alternate d Dry days post-Peak — end of the day, every day 4th day post-Peak (after 4th day) — end of the day, alternate days Dry days post-Peak (after 4th day) — end of the day, every day Chry days post-Peak (after 4th day) — end of the day, every day Dry days post-Peak (after 4th day) — end of the day, every day Dry days on L, VL, or B days of bleeding at end of menstrual flow — end of the day F. Seminal fluid instruction (see manual) G. "Double" Peak In on P+3, ask "double" Peak questions If post-Peak phase is greater than 16 days in dur and system used properly to avoid pregnancy, anticipate "missed" period form of "double" Peak 	lays f day ration	J. K. L. M.	 Avoi pres Use and Rec inch Rec and Essentiation Rec and Essentiation Rec and R	d genital contact ent (subfertility days of greates first two days al ord the amount es/centimeters) ord abdominal p left abdominal p al sameness qu ne as yesterda stamp instructio .Peak — end of t-Peak (after 4th t-Peak (after 4th))))))))))))))))))))))))))))))))))))	et until good m patients only) it quantity and iterward of stretch of th (subfertility pa bain (LAP) (su estion — "Is t y ?" — yes or n ns (for avoidin the day, altern n day) — end (days n for is to 6 days ifertile apply through ial cycle witch test, secon the duration of 1 daress, and To	quality te mucus (1, atients only) bfertility pati oday essen to g pregnancy nate days of the day, e ime of day ts (BF) lar s.	pain (RAP), ents only) t tially /) very day , etc.) cy.		

CrMS Chart (back)

The Picture Dictionary of the CREIGHTON MODEL FertilityCare[™] System

THIRD EDITION



THOMAS W. HILGERS, MD, CFCE ANN M. PREBIL, RN, BSN, CFCE K. DIANE DALY, RN, CFCE SUSAN K. HILGERS, BA, CFCE

TEACHER'S EDITION A Fertility Care[™] RESOURCE BOOK

A Fertility*Care*[™] Resource Book — THIRD Edition

By Thomas W. Hilgers, MD, Ann M. Prebil, K. Diane Daly, Susan K. Hilgers

Published by: Pope Paul VI Institute Press 6901 Mercy Road Omaha, Nebraska 68106 United States of America Copyright 2018, All rights reserved.

No reproduction of the contents of this book is allowed for any reason!

* The term "NaProTECHNOLOGY" has been registered in the U.S. Patent and Trademark Office by the Pope Paul VI Institute for the Study of Human Reproduction. It can be used freely by any person or entity as long as its use reflects the medical concepts and values presented in the textbook, "The Medical & Surgical Practice of NaProTECHNOLOGY," Pope Paul VI Institute Press, Omaha, Nebraska, 2004.

Last modified 20180518

35	<u>19-19-</u> 8-19	1 (), and ()	Ш	<i>.</i>				3				
34 3					U							
33				ояр							ш	
32				oAp o		OAD						
31				OAD O		O A D O			Ш			OAD
30	A			OAD (OAD 0						OAD (
29				0AD		ara				OAD		QHO
28		OAD		0AD		ано				одр		2AD
27		040		QAD		OAD				OAD		H×1
26		0AD		OAD		afo				OAD		413
25		OAD		QAD		040	Δ			OAD		CAP
24		4xa		OAD		σĄD				0 AD		CAD
23		OAD	() C	OAD	© €D ≥	040		OAD		oAp		2×1
22		040	C.A.	4x (© ÇN ≽	OAD		04D		OAD	€	OAD
21		OAD	¢ € €	X1 X1	© ⊈ ≫	C OAD		axl		040	্র্ব	0AD
20		axl	™ ≥	10KL 4D	Ċ Ģ S	rex 7mor		4AD	Ĩ	oAD		OAD
19		OAD (- CF-SF	10KL AD	- Green Lever Leve	AP AD		HAD		1×+		VL
18		ako	E.S.	AC XX	- Store	IOK AD		L Hxl		342		120× 124
17	``ÇO ≽	0 4×1	- Store	8C 4D	G\$₽	X 25		0 Hra		10C		CHO C
5 16		ZAD		8C x2		04D		040	C.S.S.	JOKL XZ		040
<u>í</u> 15		12 20	G}.≫	×		1 4×1		0 OAD	- Gjæ	8× 20×		D OAD
3 14		4D 0 4D	~~~	OAD		34 re		ano a	C.S.S.	1× 0 8C	C PA	OAP
2 13	S.	K 10KL	S. S.	1 8C		D Axa		afo d		D 0AD	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	x x CC
1 12	S.S.	2 8K		D OAD		OAD	ണം	2 OAD	-	D OAD		C 84
10 11	C. S.	C 8C		QAD OAD	E S	C 80		C 80		atro at	<u> </u>	×e
9 1	Ğ₽ ₽	ояр 6С ×Э	et se	x & OAD	-		o ş ⇒>		Se Se	0 DAD OF		OAD OAD
8		040	-	6C 6	J	J× Jø deo	- F	10KL 10C		04D 01		Hx1 Of
7		OAD O.	U V	04D 60 ×		add o	-	10K 10 X2 4	©¶⇒	IDC OF	- .	
9		2×1 01		040 04		Hx1 3	-	10C 10 X 1 X	.	o AD 10 ×		одр одр
5		L a		VL Q axi		a×2 H	-	8C /4 X2 X		oAD o		L Or OAD
4		70 V		L V OAD a		L a	ບ 🗸	× 1 × 1 × 1		L o ara		76
3		ر م		v M		7 W		H 8		× "@		ν Τ
2		H		V V		, H		r v		Ĭ	65	Ч
1		H I) H		V		OAD ,		L o AD	~	4 W

Basic Method Instructions

17

The CREIGHTON MODEL FertilityCare[™] System:

A Standardized Case Management Approach to Teaching

An Authentic Language of a Woman's Health and Fertilitysm



CREIGHTON MODEL FertilityCare[™] System

Thomas W. Hilgers, MD, Dip. ABOG, CFCE K. Diane Daly, RN, CFCE Susan K. Hilgers, BA, CFCE Ann M. Prebil, RN, BSN, CFCE

Book I: Basic Teaching Skills

The CREIGHTON MODEL FertilityCare[™] System

A Standardized Case Management Approach to Teaching

Book I: Basic Teaching Skills

Second Edition



Thomas W. Hilgers, MD, Dip. ABOG, SRS, CFCE K. Diane Daly, RN, CFCE Susan K. Hilgers, BA, CFCE Ann M. Prebil, RN, BSN, CFCE

Saint Paul VI Institute Press • Omaha, Nebraska • 2019

Copyright 2019, Saint Paul VI Institute Press _____ All Rights Reserved

With the exception of short excerpts for critical reviews, no part of this book may be reproduced in any manner whatsoever without permission in writing from the publisher.

International Standard Book Number: 0-9626485-5-8 0-9626485-8-2 (volume set) Library of Congress Catalogue Card Number: 2002112491

Cover Design and Text Layout: Victoria L. Sage, BS, Matt Johnson, BA

Second Edition

Published by: Saint Paul VI Institute Press 6901 Mercy Road Omaha, Nebraska 68106 USA